

PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

Metrological COM IN TEC Services, S.C.

La Fuente #11, Colonia Fraccionamiento Granjas Banthi San Juan del Rio, Querétaro, México. C.P. 76805

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025:2017

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Optical, Environmental, Mechanical and Thermodynamic Testing (As detailed in the supplement)

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen President

Perry Johnson Laboratory Accreditation, Inc. (PJLA) 755 W. Big Beaver, Suite 1325 Troy, Michigan 48084 Initial Accreditation Date:

Issue Date:

Expiration Date:

September 21, 2022

November 26, 2023

January 31, 2026

Accreditation No.:

Certificate No.:

71793

L23-859

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pilabs.com



Certificate of Accreditation: Supplement

Metrological COM IN TEC Services, S.C.

La Fuente #11, Colonia Fraccionamiento Granjas Banthi San Juan del Rio, Querétaro, México. C.P 76805 Contact Name: María del Refugio Castañeda Avelar Phone: 555-369-4971

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED
Optical ^{FO}	Product plastic and Mechanical Products, Electrical and Electronic Components	Gloss	ASTM D523 Standard Test Method for Specular Gloss	Gloss Meter
	Product, plastics, Metals, and Mechanical Products, Electrical and Electronic Components	Color	ASTM E805 "Standard Practice for Identification of Instrumental Methods of Color Poor Color- Difference Measurement of Materials	Spectrophotometer
Environmental ^F	Mechanical Products, Electrical and Electronic Components and Products	Salt Spray / Corrosion	ASTM B117 Standard Practice for Operating Salt	Spray (Fog) Apparatus Salt Corrosion Chamber
Mechanical ^F	Product plastics, Metals, and Mechanical Products, Electrical and Electronic Components	Maximum Load Load at Break Tensile Strength Tensile Strength at Break, Breaking Factor	ASTM E4	Universal Testing Machines
Thermodynamic ^F	Polypropylene (PP) Polyamides (PA) polystyrene (PS) ABS, SAN Polycarbonate (PC) Polyethylene (PE) Polymethylmethacrylate (PMMA) Polypropylene (PP) Sheets	Fluency Index	ASTM D1238	Melt Flow Index (MFI) of Thermoplastic Polymers Flow Index Meter

- 1. The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer^F would mean that the laboratory performs this testing at its fixed location.
- 2. The presence of a superscript FO means that the laboratory performs testing of the indicated parameter both at its fixed location and onsite at customer locations. Example: Outside Micrometer^{FO} would mean that the laboratory performs this testing at its fixed location and onsite at customer locations.